VOLUME 10 1988

SUBJECT INDEX

Acute administration, 215
  chlordimeform
  thermoregulation
Acute exposure
  autoshaping, 569
  chronic exposure, 429, 519
  cognitive behavior, 569
  ethylene dibromide, 519
  mercuric chloride, 519
  motor activity, 569
  neurophysiological markers, 429
  octopuses, 519
  organic solvents, 147
  organophosphates, 429
  solvent neurotoxicity, 147
  visual information processing, 147
  p-xylene, 569
Adult progenies, 101
  anxiety
  benzodiazepine receptors
  goal-directed behavior
  perinatal exposure
Age differences
  alcohol, 255
  carbon monoxide, 93
  case studies, 1
  dyschromatopsia, 255
  evoked cortical potentials, 93
  fetal alcohol syndrome, 1
  human studies, 1, 93, 255
  low-level exposure, 93
Aggressive behavior, 349
  embryolethality, male
  phencyclidine
  postnatal growth
  prenatal exposure
Alcohol
  age differences, 255
  cocaine, 355
  drug interaction, 355
  dyschromatopsia, 255
  fetal toxicity, 355
  human studies, 255, 305
  maternal toxicity, 355
  neurobehavioral development, 305
  nicotine, 305
  odor associative learning, 333
  prenatal exposure, 305, 333, 355
Alcohol consumption, 187
  offspring effects
  paternal exposure
Aldicarb, 549
  brain acetylcholinesterase
  brain neurotoxic esterase
  chickens
  locomotor activity
Amitraz, 229
  hippocampal excitability
  perforant path stimulation
Analgesia, 287
  cholinergic stimulation
  drug interactions
  toxicity
Animal model, 51
  cocaine
  fetal/maternal fatality
  pregnancy
Anticholinesterases, 315
  drug interactions
  locomotor behavior
  opioid analgesia
Anxiety, 101
  adult progenies
  benzodiazepine receptors
  goal-directed behavior
  perinatal exposure
Apparatus
  Biel water maze, 327
  force lever device, 3
  radial arm maze, 327, 341, 381
  swim maze, 341
Atropine, 169
  heart period variability
  monkeys
  respiratory sinus arrhythmia
  vagal tone
Autoshaping, 569
  acute exposure
  cognitive behavior
  motor activity
  p-xylene

Behavioral deficit, 207
  chronic exposure
  lead
  monkeys
Behavioral effects
  biochemical effects, 261
  2,4-D butyl ester administration, 81
  cholinergic receptors, 261
  dermal exposure, 113
  herbicide formulation, 81
  locomotor activity, 81
  oral administration, 113
  parathion, 261
  postnatal exposure, 261
  pyrethroids, 113
Behavioral effects, adult, 381
  herpes simplex type 1
  hyperactivity
  neonatal infection
Behavioral neurotoxicity, 245
  hippocampal dysfunction
  lead exposure, low level
Behavioral response, 121
  ethanol
  prenatal exposure
  response inhibition
Behavioral teratogenicity, 471
  methoxy-ethyl-mercury
  prenatal exposure
Behavioral teratology
  chlorpromazine, 199
  detection limits, 155
  discrimination learning, 199
  ethanol, 15
  inhalation effects, 15
  neurochemical deviations, 15
  neurochemical parameters, 155
  postnatal exposure, 199
  prenatal exposure, 15, 199
  psychopharmacological methods, 143
  reproductive toxicology, 15
  testing battery, 155
Behavioral toxicology
  ethology, 85
  ivermectin, 267
  perinatal exposure, 267
  postnatal development, 267
  toxicity screening, 85
Benzodiazepine receptors, 101
  adult progenies
  anxiety
  goal-directed behaviors
  perinatal exposure
Biochemical effects, 261
  behavioral effects
  cholinergic receptors
  parathion
  postnatal exposure
Biochemical markers, 445
  gliotypic proteins
  neurotoxicity
  neurotypic proteins
Biological monitoring, 479
  neurotoxicity
  toxic neuropathies
Body development effects, 321
  brain development effects
  neonatal treatment
  vasopressin
  vasopressin antagonists
Brain
  amygdala, 221
  brainstem, 15
  caudate-putamen, 127
  cerebellum, 15, 295, 563
  cerebrum, 15
  cortex, 295
  entorhinal cortex, 563
  frontal cortex, 279, 363
  hindbrain, 295
  hippocampus, 221, 229, 245, 279, 539, 563
  hypothalamus, 295
  midbrain, 15, 295
  nucleus accumbens, 279, 295
  occipital cortex, 363
  olfactory tubercle, 279

parietal cortex, 363
striatum, 279, 295
Brain acetylcholinesterase, 549
aldicarb
brain neurotoxic esterase
chickens
locomotor activity
Brain development effects, 321
body development effects
neonatal treatment
vasopressin
vasopressin antagonists
Brain neurotoxic esterase, 549
aldicarb
brain acetylcholinesterase
chickens
locomotor activity
2,4-D Butyl ester administration, 81
behavioral effects
herbicide formulation
locomotor activity

Ca-dependent neurotransmitter release, 393
end-plate potentials
heavy metal neurotoxicity
insecticide neurotoxicity
organophosphate neurotoxicity
patch voltage clamp
synaptic transmission
Cadmium
infancy exposure, 135
neonatal exposure, 193
play fighting, juvenile, 135
sex differences, 135
social behavior, juvenile, 135
social memory deficits, 193
Carbon disulphide, 485
human studies
lead
occupational intoxication
organic solvents
toxic syndrome
Carbon monoxide, 93
age differences
evoked cortical potentials
human studies
low-level exposure
Case studies, 1
age differences
fetal alcohol syndrome
human studies
Chickens, 549
aldicarb
brain acetylcholinesterase
brain neurotoxic esterase
locomotor activity
Cholinergic receptors, 261
behavioral effects
biochemical effects
parathion
postnatal exposure
Cholinergic stimulation, 287
analgesia
drug interactions
toxicity
Chlordimeform, 215
acute administration
thermoregulation
Chlorpromazine, 199
behavioral teratology
discrimination learning
postnatal exposure
prenatal exposure
Chronic abuse, 489
evoked responses
toluene
Chronic exposure
acute exposure, 429, 519
behavioral deficit, 207
ethylene dibromide, 519
lead, 207
mercuric chloride, 519
monkeys, 207
neurobehavioral effects, 511
neurophysiological markers, 429
octopuses, 519
organophosphates, 429
styrene, 511
Chronic treatment, 505
delayed spatial alternation
lead
monkeys
postnatal exposure
Cocaine
alcohol, 355
animal model, 51
fetal/maternal fatality, 51
fetal toxicity, 355
maternal toxicity, 355
pregnancy, 51
prenatal exposure, 355
Cochlear microphonic, 435
sensory evoked potentials
type I error
waveform analysis
Cognitive behavior
acute exposure, 569
autoshaping, 569
motor activity, 569
spatial delayed response, 237
trimethyltin, 237
working memory, 237
p-xylene, 569
Colchicine, 579
micturition
routes of administration
Conditioned flavor aversion, 273
inhalation exposure
p-xylene
Copper-carbohydrate interaction, 555
copper deficiency
fetal effects
maternal effects
neonatal effects
Copper deficiency, 555
copper-carbohydrate interaction
fetal effects
maternal effects
neonatal effects
Cortical development, 363
functional deficits
ionizing radiation
morphology
prenatal exposure
Cross-tolerance, 75
2,4-D ester
locomotor activity
tolerance

Delayed spatial alternation, 505
chronic treatment
lead
monkeys
postnatal exposure
Dermal exposure, 113
behavioral effects
oral administration
pyrethroids
Detection limits, 155
behavioral teratology
neurochemical parameters
testing battery
Discriminated avoidance conditioning, 35
microcephalia
prenatal irradiation
Discrimination learning, 199
behavioral teratology
chlorpromazine
postnatal exposure
prenatal exposure
Dopaminergic system, 279
receptor supersensitivity
serotonergic system
triethyllead
Drug
alcohol, 255, 305, 333, 355
aldicarb, 549
alfentamil, 315
amitraz, 221, 229
d-amphetamine, 147
atropine, 315
atropine sulphate, 169
n-butanol, 75
cadmium, 193
cadmium chloride, 135
carbon disulfide, 475
carbon monoxide, 93, 475
chlordimeform, 215, 221
chlorpromazine, 199
choline, 287
clonidine, 229
clozapine, 953
cocaine, 51, 355
colchicine, 579
copper, 555
diazepam, 101, 315
dichlorvos, 429
diisopropylfluorophosphate, 315
dimethoate, 429
2,4-D ester, 75, 81
ethanol, 15, 23, 121, 175, 187, 563
ethylene dibromide, 519
fentanyl, 315
fenvalerate, 113
2,5-hexanedione, 3
ivermectin, 267
lead, 207, 245, 417, 453, 497, 505, 531
manganese, 295, 475
marihuana, 305
mercuric chloride, 519
methoxy-ethyl-mercury, 471
methylazoxymethanol, 341
methylazoxymethanol acetate, 65
methylmercury, 155, 373
methyl mercury dicyaniamide, 85
methylnitrosourea, 327
morphine, 287, 315, 465
MPTP, 475
naloxone, 465
neostigmine, 59, 315
nicotine, 85, 305
parathion, 261
parathion-methyl, 429

permethrin, 113
phencyclidine, 349
physostigmine, 59, 75
pralidoxime, 315
pyridostigmine, 315
Ro 15-1788, 101
soman, 287
styrene, 511
sulfuryl fluoride, 127
toluene, 147, 387, 489, 525
trichloroethylene, 85
triethyllead, 279
triethyltin, 539
trimethyltin, 237
p-xylene, 147, 273, 569
Drug interaction
alcohol, 355
analgesia, 287
anticholinesterases, 315
cholinergic stimulation, 287
cocaine, 355
fetal toxicity, 355
locomotor behavior, 315
maternal toxicity, 355
opioid analgesia, 315
prenatal exposure, 355
toxicity, 287
Dyschromatopsia, 255
age differences
alcohol
human studies

EEG analysis, 423
neuropharmacology
neurotoxicology
Electroretinogram, 417
lead, postnatal exposure
monkeys
visual evoked potentials
Embryolethality, male, 349
aggressive behavior
phencyclidine
postnatal growth
prenatal exposure
β-Endorphin levels, 453
lead
met-enkephalin levels
opiate receptors
postnatal exposure
prenatal exposure
End-plate potentials, 393
Ca-dependent neurotransmitter release
heavy metal neurotoxicity
insecticide neurotoxicity
organophosphate neurotoxicity
patch voltage clamp
synaptic transmission
2,4-D Ester, 75
cross-tolerance
locomotor activity
tolerance
Ethanol
behavioral response, 121
behavioral teratology, 15
inhalation effects, 15
kainic acid binding, 563
motor activity, 175
neonatal mortality, 175
neurochemical deviations, 15
offspring development, 175
prenatal exposure, 15, 121, 175, 563
reproductive toxicology, 15
response inhibition, 121
Ethology, 85
behavioral toxicology
toxicity screening
Ethylene dibromide, 519
acute exposure
chronic exposure
mercuric chloride
octopuses
Evoked cortical potentials, 93
age differences
carbon monoxide
human studies
low-level exposure
Evoked responses, 489
chronic abuse
toluene

Fetal alcohol syndrome, 1
age differences
case studies
human studies
Fetal effects, 555
copper-carbohydrate interaction
copper deficiency
maternal effects
neonatal effects
Fetal/maternal fatality, 51
animal model
cocaine
pregnancy
Fetal toxicity, 355
alcohol
cocaine
drug interaction
maternal toxicity
prenatal exposure
Force titration, 3
2,5-hexanedione
neuromuscular toxicity
response force
Formamidines, 221
seizures, kindled
seizure susceptibility
Functional deficits, 363
cortical development
ionizing radiation
morphology
prenatal exposure
Functional effects, 525
morphological effects
ototoxicity
toluene
Functional evaluation, 127
subchronic neurotoxicity
sulfuryl fluoride

Gliotypic proteins, 445
biochemical markers
neurotoxicity
neurotypic proteins
Goal-directed behavior, 101
adult progenies
anxiety
benzodiazepine receptors
perinatal exposure

Heart period variability, 169
atropine
monkeys
respiratory sinus arrhythmia
vagal tone
Heavy metal neurotoxicity, 393
Ca-dependent neurotransmitter release
end-plate potentials
insecticide neurotoxicity
organophosphate neurotoxicity
patch voltage clamp
synaptic transmission
Herbicide formulation, 81
behavioral effects
2,4-D butyl ester administration
locomotor activity
Herpes simplex type 1, 381
behavioral effects, adult
hyperactivity
neonatal infection
2,5-Hexanedione, 3
force titration
neuromuscular toxicity
response force
Hippocampal CA1 area, 539
neuronal excitability
synaptic transmission
triethyltin
Hippocampal dysfunction, 245
behavioral neurotoxicity
lead exposure, low level
Hippocampal excitability, 229
amitraz
perforant path stimulation
Human studies
age differences, 1, 93, 255
alcohol, 255, 305
carbon disulphide, 485
carbon monoxide, 93
case studies, 1
dyschromatopsia, 255
evoked cortical potentials, 93
fetal alcohol syndrome, 1
infant development, 497
lead, 485
lead exposure, 497, 531
low level exposure, 93
marihuana, 305
medical risk factors, 531
narcosis, 39
neurobehavioral development, 305
neurobehavioral tests, 39
neurological deficits, 531
nicotine, 305
occupational intoxication, 485
organic solvents, 39, 485
prenatal exposure, 305
short duration exposure, 39
social class effects, 497
toxic syndrome, 485
Hyperactivity
behavioral effects, adult, 381
herpes simplex type 1, 381
learning deficits, 341
methylazoxymethanol, 341
motor activity, 341
neonatal infection, 381
neostigmine, 59
physostigmine, 59
prenatal alcohol exposure, 59
prenatal exposure, 341

Infancy exposure, 135
cadmium
play fighting, juvenile
sex differences
social behavior, juvenile
Infant development, 497
human studies
lead exposure
social class effects
Inhalation effects, 15
behavioral teratology
ethanol
neurochemical deviations
prenatal exposure
reproductive toxicology
Inhalation exposure, 273
conditioned flavor aversion
p-xylene
Insecticide neurotoxicity, 393
Ca-dependent neurotransmitter release
end-plate potentials
heavy metal neurotoxicity
organophosphate neurotoxicity
patch voltage clamp
synaptic transmission
Ionizing radiation, 363
cortical development
functional deficits
morphology
prenatal exposure
Ivermectin, 267
behavioral toxicology
perinatal exposure
postnatal development

Kainic acid binding, 563
ethanol
prenatal exposure

Lead
behavioral deficit, 207
carbon disulphide, 485
chronic exposure, 207
chronic treatment, 505
delayed spatial alternation, 505
beta-endorphin levels, 453
Met-enkephalin levels, 453
human studies, 485
monkeys, 207, 505
occupational intoxication, 485
opiate receptors, 453
organic solvents, 485
postnatal exposure, 453, 505
prenatal exposure, 453
toxic syndrome, 485
Lead exposure
human studies, 497, 531
infant development, 497
medical risk factors, 531
neurological deficits, 531
social class effects, 497
Lead exposure, low level, 245
behavioral neurotoxicity
hippocampal dysfunction
Lead, postnatal exposure, 417
electroretinogram
monkeys
visual evoked potentials
Learning deficits, 341
hyperactivity
methylazoxymethanol
motor activity
prenatal exposure
Learning impairment, 327
memory retention
microcephaly, drug induced
Locomotor activity
aldicarb, 549
anticholinesterases, 315
behavioral effects, 81
brain acetylcholinesterase, 549
brain neurotoxic esterase, 549
2,4-D butyl ester administration, 81
chickens, 549
cross-tolerance, 75
drug interactions, 315
2,4-D ester, 75
herbicide formulation, 81
opioid analgesia, 315
tolerance, 75
Low-level exposure, 93
age differences
carbon monoxide
evoked cortical potentials
human studies

Manganese brain levels, 295
monoamine metabolism
neonatal exposure
Marihuana, 305
alcohol
neurobehavioral development
nicotine
prenatal exposure
Maternal age, 23
prenatal ethanol exposure
reproductive/behavioral effects
Maternal effects, 555
copper-carbohydrate interaction
copper deficiency
fetal effects
neonatal effects
Maternal toxicity, 355
alcohol
cocaine
drug interaction
fetal toxicity
prenatal exposure
Medical risk factors, 531
human studies
lead exposure
neurological deficits
Memory deficits, 373
methylmercury
monkeys
prenatal exposure
visual recognition
Memory retention, 327
learning impairment
microcephaly, drug induced
Mercuric chloride, 519
acute exposure
chronic exposure
ethylene dibromide
octopuses
Met-enkephalin levels, 453
beta-endorphin levels
lead
opiate receptors
postnatal exposure
prenatal exposure
Method
atomic absorption spectroscopy, 295
autoradiography, 563
brainstem auditory evoked response, 525
high performance liquid chromatography, 279
magnetic resonance imaging, 489
Methoxy-ethyl-mercury, 471
behavioral teratogenicity
prenatal exposure
Methylazoxymethanol, 341
hyperactivity
learning deficits
motor activity
prenatal exposure
Methylmercury, 373
memory deficits
monkeys
prenatal exposure
visual recognition
Microcephalia, 35
discriminated avoidance conditioning
prenatal irradiation
Microcephaly, drug induced, 327
learning impairment
memory retention
Microwave irradiation, 461
phosphorylation
synapsin I levels
Micturition, 579
colchicine
routes of administration
Monkeys
atropine, 169
behavioral deficit, 207
chronic exposure, 207
chronic treatment, 505
delayed spatial alternation, 505
electroretinogram, 417
heart period variability, 169
lead, 207, 505
lead, postnatal exposure, 417
memory deficits, 373
methylmercury, 373
postnatal exposure, 505
prenatal exposure, 373
respiratory sinus arrhythmia, 169
vagal tone, 169
visual evoked potentials, 417
visual recognition, 373
Monoamine metabolism, 295
manganese brain levels
neonatal exposure
Morphological effects, 525
functional effects
ototoxicity
toluene
Morphology, 363
cortical development
functional deficits
ionizing radiation
prenatal exposure
Motor activity
acute exposure, 569
autoshaping, 569
cognitive behavior, 569
ethanol, 175
hyperactivity, 341
learning deficits, 341
methylazoxymethanol, 341
neonatal mortality, 175

offspring development, 175
prenatal exposure, 175, 341
p-xylene, 569

Narcosis, 39
human studies
organic solvents
neurobehavioral tests
short duration exposure
Neonatal effects, 555
copper-carbohydrate interaction
copper deficiency
fetal effects
maternal effects
Neonatal exposure
cadmium, 193
manganese brain levels, 295
monoamine metabolism, 295
social memory deficits, 193
Neonatal infection, 381
behavioral effects, adult
herpes simplex type 1
hyperactivity
Neonatal mortality, 175
ethanol
motor activity
offspring development
prenatal exposure
Neonatal treatment, 321
body development effects
brain development effects
vasopressin
vasopressin antagonists
Neostigmine, 59
hyperactivity
physostigmine
prenatal alcohol exposure
Neurobehavioral development, 305
alcohol
human studies
marihuana
nicotine
prenatal exposure
Neurobehavioral effects, 511
chronic exposure
styrene
Neurobehavioral tests, 39
human studies
organic solvents
narcosis
short duration exposure
Neurochemical deviations, 15
behavioral teratology
ethanol
inhalation effects
prenatal exposure
reproductive toxicology
Neurochemical parameters, 155
behavioral teratology
detection limits
testing battery
Neurological deficits, 531
human studies
lead exposure
medical risk factors
Neuromuscular toxicity, 3
force titration
2,5-hexanedione
response force
Neuronal excitability, 539
hippocampal CA1 area
synaptic transmission
triethyltin
Neuropharmacology, 423
EEG analysis
neurotoxicology
Neurophysiological markers, 429
acute exposure
chronic exposure
organophosphates
Neurotoxicity
biochemical markers, 445
biological monitoring, 479
EEG analysis, 423
gliotypic proteins, 445
neuropharmacology, 423
neurotypic proteins, 445
toxic neuropathies, 479
Neurotoxins, 475
nigrostriatal system
parkinsonism
Neurotypic proteins, 445
biochemical markers
gliotypic proteins
neurotoxicity
Nicotine, 305
alcohol
human studies
marihuana
neurobehavioral development
prenatal exposure
Nigrostriatal system, 475
neurotoxins
parkinsonism

Occupational intoxication, 485
carbon disulphide
human studies
lead
organic solvents
toxic syndrome
Octopuses, 519
acute exposure
chronic exposure
ethylene dibromide
mercuric chloride
Odor associative learning, 333
alcohol
prenatal exposure
Offspring development, 175
ethanol
motor activity
neonatal mortality
prenatal exposure
Offspring effects, 187
alcohol consumption
paternal exposure
Opiate receptors, 453
beta-endorphin levels
lead
Met-enkephalin levels
postnatal exposure
prenatal exposure
Opioid analgesia, 315
anticholinesterase
drug interactions
locomotor behavior
Opioid system, 465
postnatal exposure
ultrasonic vocalization
Oral administration, 113
behavioral effects
dermal exposure
pyrethroids
Organic solvents
acute exposure, 147
carbon disulphide, 485
human studies, 39, 485
lead, 485
narcosis, 39
neurobehavioral tests, 39
occupational intoxication, 485
short duration exposure, 39
solvent neurotoxicity, 147
toxic syndrome, 485
visual information processing, 147
Organophosphate neurotoxicity, 393
Ca-dependent neurotransmitter release
end-plate potentials
heavy metal neurotoxicity
insecticide neurotoxicity
patch voltage clamp
synaptic transmission
Organophosphates, 429
acute exposure
chronic exposure
neurophysiological markers
Ototoxicity, 525
functional effects
morphological effects
toluene

Parathion, 261
behavioral effects
biochemical effects
cholinergic receptors
postnatal exposure
Parkinsonism, 475
neurotoxins
nigrostriatal system
Patch voltage clamp, 393
Ca-dependent neurotransmitter release
end-plate potentials
heavy metal neurotoxicity
insecticide neurotoxicity
organophosphate neurotoxicity
synaptic transmission
Paternal exposure, 187
alcohol consumption
offspring effects
Peptide
β-casomorphin, 465
vasopressin, 321
Perforant path stimulation, 229
amitraz
hippocampal excitability
Perinatal exposure
adult progenies, 101
anxiety, 101
behavioral toxicology, 267
benzodiazepine receptors, 101
goal-directed behavior, 101
ivermectin, 267
postnatal development, 267
Phencyclidine, 349
aggressive behavior
embryolethality, male
postnatal growth
prenatal exposure
Phosphorylation, 461
microwave irradiation
synapsin I levels
Physostigmine, 59

hyperactivity
neostigmine
prenatal alcohol exposure
Play fighting, juvenile, 135
cadmium
infancy exposure
sex differences
social behavior, juvenile
Postnatal development, 267
behavioral toxicology
ivermectin
perinatal exposure
Postnatal exposure
behavioral effects, 261
behavioral teratology, 199
biochemical effects, 261
chlorpromazine, 199
cholinergic receptors, 261
chronic treatment, 505
delayed spatial alternation, 505
discrimination learning, 199
β-endorphin levels, 453
lead, 453, 505
met-enkephalin levels, 453
monkeys, 505
opiate receptors, 453
opioid system, 465
parathion, 261
prenatal exposure, 199, 453
ultrasonic vocalization, 465
Postnatal growth, 349
aggressive behavior
embryolethality, male
phencyclidine
prenatal exposure
Pregnancy, 51
animal model
cocaine
fetal/maternal fatality
Prenatal alcohol exposure, 59
hyperactivity
neostigmine
physostigmine
Prenatal ethanol exposure, 23
maternal age
reproductive/behavioral effects
Prenatal exposure
aggressive behavior, 349
alcohol, 305, 333, 355
behavioral response, 121
behavioral teratogenicity, 471
behavioral teratology, 15, 199
chlorpromazine, 199
cocaine, 355
cortical development, 363
discrimination learning, 199
drug interaction, 355
embryolethality, 349
β-endorphin levels, 453
ethanol, 15, 121, 175, 563
fetal toxicity, 355
functional deficits, 363
human studies, 305
hyperactivity, 341
inhalation effects, 15
ionizing radiation, 363
kainic acid binding, 563
lead, 453
learning deficits, 341
marihuana, 305
maternal toxicity, 355
memory deficits, 373
met-enkephalin levels, 453
methoxy-ethyl-mercury, 471
methylazoxymethanol, 341
methylmercury, 373
monkeys, 373
morphology, 363
motor activity, 175, 341
neonatal mortality, 175
neurobehavioral development, 305
neurochemical deviations, 15
nicotine, 305
odor associative learning, 333
offspring development, 175
opiate receptors, 453
phencyclidine, 349
postnatal exposure, 199, 453
postnatal growth, 349
reproductive toxicology, 15
response inhibition, 121
visual recognition, 373
Prenatal irradiation, 35
discriminated avoidance conditioning
microcephalia
Prenatally-induced micrencephaly, 65
primary/secondary neuronal degeneration
visual system
Primary/secondary neuronal degeneration, 65
prenatally-induced micrencephaly
visual system
Psychopharmacological methods, 143
behavioral teratology
Pyrethroids, 113
behavioral effects
dermal exposure
oral administration

Receptor supersensitivity, 279
dopaminergic system
serotonergic system
triethyllead
Repeated exposure, 387
response latency
shock avoidance
toluene
Reproductive/behavioral effects, 23
maternal age
prenatal ethanol exposure
Reproductive toxicology, 15
behavioral teratology
ethanol
inhalation effects
neurochemical deviations
prenatal exposure
Response force, 3
force titration
2,5-hexanedione
neuromuscular toxicity
Response inhibition, 121
behavioral response
ethanol
prenatal exposure
Response latency, 387
repeated exposure
shock avoidance
toluene
Respiratory sinus arrhythmia, 169
atropine
heart period variability
monkeys
vagal tone

Seizures, kindled, 221
formamidines
seizure susceptibility
Seizure susceptibility, 221
formamidines
seizures, kindled
Sensory evoked potentials, 435
cochlear microphonic
type I error
waveform analysis
Serotonergic system, 279
dopaminergic system
receptor supersensitivity
triethyllead
Sex differences, 135
cadmium
infancy exposure
play fighting, juvenile
social behavior, juvenile
Shock avoidance, 387
repeated exposure
response latency
toluene
Short duration exposure, 39
human studies
organic solvents
narcosis
neurobehavioral tests
Social behavior, juvenile, 135
cadmium
infancy exposure
play fighting, juvenile
sex differences
Social class effects, 497
human studies
infant development
lead exposure
Social memory deficits, 193
cadmium
neonatal exposure
Solvent neurotoxicity, 147
acute exposure
organic solvents
visual information processing
Spatial delayed response, 237
cognitive behavior
trimethyltin
working memory
Styrene, 511
chronic exposure
neurobehavioral effects
Subchronic neurotoxicity, 127
functional evaluation
sulfuryl fluoride
Sulfuryl fluoride, 127
functional evaluation
subchronic neurotoxicity
Synpatic transmission
Ca-dependent neurotransmitter release, 393
end-plate potentials, 393
heavy metal neurotoxicity, 393
hippocampal CA1 area, 539
insecticide neurotoxicity, 393
neuronal excitability, 539
organophosphate neurotoxicity, 393
patch voltage clamp, 393
triethyltin, 539

Synapsin I levels, 461
microwave irradiation
phosphorylation

Testing battery, 155
behavioral teratology
detection limits
neurochemical parameters
Thermoregulation, 215
acute administration
chlordimeform
Tolerance, 75
cross-tolerance
2,4-D ester
locomotor activity
Toluene
chronic abuse, 489
functional effects, 525
evoked responses, 489
morphological effects, 525
ototoxicity, 525
repeated exposure, 387
response latency, 387
shock avoidance, 387
Toxicity, 287
analgesia
cholinergic stimulation
drug interactions
Toxicity screening, 85
behavioral toxicology
ethology
Toxic neuropathies, 479
biological monitoring
neurotoxicity
Toxic syndrome, 485
carbon disulphide
human studies
lead
occupational intoxication
organic solvents
Triethyllead, 279
dopaminergic system
receptor supersensitivity
serotonergic system
Triethyltin, 539
hippocampal CA1 area
neuronal excitability
synaptic transmission
Trimethyltin, 237
cognitive behavior
spatial delayed response
working memory
Type I error, 435
cochlear microphonic
sensory evoked potentials
waveform analysis

Ultrasonic vocalization, 465
opioid system
postnatal exposure

Vagal tone, 169
atropine
heart period variability
monkeys
respiratory sinus arrhythmia
Vasopressin, 321
body development effects
brain development effects
neonatal treatment
vasopressin antagonists
Vasopressin antagonists, 321
body development effects
brain development effects
neonatal treatment
vasopressin
Visual evoked potentials, 417
electroretinogram
monkeys
lead, postnatal exposure
Visual information processing, 147
acute exposure
organic solvents
solvent neurotoxicity
Visual recognition, 373
memory deficits
methylmercury
monkeys
prenatal exposure
Visual system, 65
prenatally-induced micrencephaly
primary/secondary neuronal degeneration

Waveform analysis, 435
cochlear microphonic
sensory evoked potentials
type I error
Working memory, 237
cognitive behavior
spatial delayed response
trimethyltin

p-Xylene
acute exposure, 569
autoshaping, 569
cognitive behavior, 569
conditioned flavor aversion, 273
inhalation exposure, 273
motor activity, 569

AUTHOR INDEX

Abel, E. L., 1, 183, 187
Adams, P. M., 519
Akaike, M., 327
Albee, R. R., 127, 435
Anger, W. K., 181
Archer, T., 341
Ashwell, K. W. S., 65
Atchison, W. D., 393

Balduini, W., 261
Baraldi, M., 453
Barbieri, F., 479
Barron, S., 333
Barton, C. N., 93
Beal, T., 555
Becker, H. C., 121
Bellinger, D., 497
Benignus, V. A., 93
Bercegeay, M. S., 147
Blain, L., 255
Blanchard, B. A., 143
Bleecker, M. L., 475
Boer, G. J., 321
Bond, N. W., 59
Bowman, R. E., 505
Brightwell, W. S., 15
Browning, M. D., 461
Burbacher, T. M., 373
Burg, J. R., 15
Bushnell, P. J., 237, 273, 569

Cagiano, R., 155, 465
Chang, L. W., 127
Church, M. W., 51, 355
Conolly, R. B., 525
Costa, L. G., 261
Crnic, L. S., 381
Crowder, M., 315
Cuomo, V., 155, 465

Davis, K. A., 489
DeHaven-Hudkins, D. L., 279
Dellinger, J. A., 169
De Salvia, M. A., 465
Dési, I., 429
Dick, R. B., 39
Dintcheff, B. A., 51, 355
Dougherty, J. A., 75
Dugich, M., 101
Dyer, R. S., 147, 229

Eccles, C. U., 423
Eisenbrandt, D. L., 127
Elsner, J., 3, 155
Ettenberg, A., 861

Facchinetti, F., 453
Farage-Elawar, M., 549
Farr, K. L., 563
Favara, J. P., 175
Fechter, L. D., 295
Fellmann, C., 3
Ferrari, W., 579
Fico, T. A., 349
Fields, M., 555
Filley, C. M., 489
Forsythe, J. W., 519
Fountain, S. B., 539
Fried, P. A., 305

Gagnon, W., 333
Galli, C. L., 465
Galimberti, R., 465
Garbe, K., 245
Gessner, P. K., 51, 355
Gilbert, M. E., 221, 229
Gordon, C. J., 215
Goto, M., 327
Grandjean, P., 531
Grant-Webster, K. S., 373
Green, P. G., 315
Gunderson, V. M., 373

Haglid, K. G., 155
Hanlon, R. T., 519
Hannigan, J. H., 143
Hänninen, H., 485
Hansen, O. N., 531

Harbin, T. J., 93
Hawkins, M. C., 101
Haycock, J. W., 461
Hennekes, R., 417
Hennes, S. K., 539
Hiltunen, A. J., 341
Hironaka, N., 199
Hodel, B., 155
Holloway, W. R., Jr., 135, 193
Hosokawa, T., 387

Inouye, M., 35

Jansen, H. T., 169
Järbe, T. U. C., 341

Kallman, M. J., 113
Kamkar, M. R., 341
Karlsson, J. E., 155
Karpinski, K. F., 207
Kimler, B. F., 363
Kiss, A., 471
Kitchen, I., 315
Kontur, P. J., 295
Kotch, L. E., 333
Krivograd, A. F., 101
Kulig, B. M., 511

Lalande, F., 255
Lehotzky, K., 471
Lemaire, J., 255
Lenaerts, C., 417
Levin, E. D., 505
Leviton, A., 497
Lewis, C. G., 555
Lilienthal, H., 245, 417
Lorencz, R., 429
Luthman, J., 341
Lyngbye, T., 531

MacKenzie-Taylor, D. R., 15
Mailman, R. B., 279
Marczynski, T. J., 101
Marks, G. A., 509
Maroni, M., 479
Massari, V. J., 15
Mattson, S. N., 333
Mattsson, J. L., 127, 435
Mayo, L. M., 147
Mergler, D., 255
Meyer, L. S., 333
Middaugh, L. D., 175
Mitchell, J. A., 113
Montano, C. Y., 563
Mottet, N. K., 373
Muller, K. E., 93
Munoz, C., 245
Murphy, S. D., 261

Nagymajtényi, L., 429
Needleman, H., 497
Nelson, B. K., 15
Norton, S., 363

O'Callaghan, J. P., 445
Oelke, D., 155

Patel, M. K., 101
Paul, S. M., 767
Paxton, L. L., 563
Peele, D. B., 273
Pizer, L. I., 381
Poul, J.-M., 267

Rabinowitz, M., 497
Racagni, G., 465
Randall, C. L., 121, 175
Rarey, K. E., 525
Restani, P., 465
Rice, D. C., 207
Riley, E. P., 121, 333
Romano, J. A., 287
Rosenberg, N. L., 489
Rosengren, L. E., 155
Rossi, T., 453

Saito, K., 387
Sakaguchi, T., 327
Savage, D. D., 563
Schaumburg, H. H., 489
Schreiner, G., 155
Schultz, D. W., 279
Schulze, G. E., 75, 81
Shih, T.-M., 287
Silverman, A. P., 85
Snijdewint, F. G. M., 321
Sokol, R. J., 183
Spitz, M. C., 489
Stamper, C. R., 261
Sullivan, M. J., 525
Sundström, E., 341
Suter, K. E., 155
Swann, P. G., 101
Szeberenyi, J. M., 471

Tamaki, Y., 35
Tan, S. E., 187
Tanaka, K., 327
Teiling, A., 341
Teruel, A. F., 541
Teyler, T. J., 539
Thor, D. H., 135, 193
Ting, Y. L. T., 539

Ulbrich, B., 155
Umemura, T., 199
Ungvary, G., 471

VanderWende, C., 349
Vorhees, C. V., 23

Wada, H., 387
Walsh, T. J., 279
Waternaux, C., 497
Watkinson, B., 305
Watkinson, W. P., 215
Webster, W. S., 65
Wilson, M. C., 113
Winneke, G., 245, 417

Zanoli, P., 453, 579
Zbinden, G., 3